

Protection measures for electric shock from photovoltaic panels

This PDF is generated from: <https://fastmovesecurity.co.za/Tue-26-May-2020-801.html>

Title: Protection measures for electric shock from photovoltaic panels

Generated on: 2026-06-28 08:32:56

Copyright (C) 2026 FASTMOVE SOLARCONTAINER. All rights reserved.

For the latest updates and more information, visit our website: <https://fastmovesecurity.co.za>

The best possible method to avoid electrical shock is to follow procedures for establishing an electrically safe work condition (ESWC) as outlined by NFPA 70E standards. Solar PV systems ...

After assessing the risks, and prior to commencing the installation, control measures need to be implemented to eliminate, substitute, or minimise the risks associated with any tasks where electricity ...

These are three of the most common electrical hazards with PV systems that you can encounter, along with specific solar PV safety control measures you can take to reduce their risk.

Proper wiring and circuit protection are critical in solar panel installations. Overcurrent protection devices, such as fuses or circuit breakers, safeguard against excessive current flow. Ground-fault ...

Electric shock hazards from high DC voltages require comprehensive arc-flash protection, properly rated personal protective equipment (PPE), and strict lockout-tagout procedures during ...

Compliance with IEC 62446 and NFPA 70E reduces shock risks. Below are essential practices: Use UL-certified rapid shutdown devices to de-energize panels within 30 seconds. Install ground-fault ...

Discover essential tips for ensuring electrical safety and fall protection in solar energy installations. Enhance workplace safety with practical advice and best practices.

Let's dive into actionable steps professionals use to minimize shock hazards, whether you're installing new panels, maintaining existing systems, or troubleshooting issues.

Hazard 1. Shock Or Electrocution from Energized Conductors Hazard 2. Arc Faults That Spark Fires Hazard 3. Arc Flash Leading to Explosions Choose The Correct Equipment About The Expert Related Resources Protecting your workers and PV system from electrical hazards requires adherence to safe work

Protection measures for electric shock from photovoltaic panels

practices and ensuring that your equipment is rated to withstand these potential hazards. That means multimeters, test leads, and fuses must all be rated for the application you are working on. Here are some basic guidelines:

1. CAT-appropriate equipment: C...See more on fluke #b_results

```
.b_vidAns{border-radius:6px;box-shadow:0 0 1px rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset "UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium) 0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results .b_ans.b_vidAns
#serpvidans.vsacf .mc_vtvc,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mc_vtvc_th,#b_results
.b_ans.b_vidAns #serpvidans.vsacf .cico,#b_results .b_ans.b_vidAns #serpvidans.vsacf
.mc_vtvc_htb,#b_results .b_ans.b_vidAns #serpvidans.vsacf .vrhc,#b_results .b_ans.b_vidAns
#serpvidans.vsacf .vrhcp,#b_results .b_ans.b_vidAns #serpvidans.vsacf .vrhtc,#b_results .b_ans.b_vidAns
#serpvidans.vsacf .vrhtpc{border-radius:var(--mai-smtc-corner-list-card-default)}#b_results .b_ans.b_vidAns
#serpvidans.vsacf .mmlist .mc_vtvc,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{margin:0}#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);heig
ht:auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block
.mc_vtvc_meta_row{color:var(--smtc-foreground-content-neutral-primary);height:var(--mai-smtc-padding-car
d-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
```

Protection measures for electric shock from photovoltaic panels

```
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . " }#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}.vsacf
.b_title{padding-left:0}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts .mc_bc
ems{display:none}#serpvidans.vsacf a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf
.va_tt .vsb_tr_chd .mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;background:linear-gradient(180deg,var(--bing-smtc-background-ctrl-fade-on-i
mage-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}.vsacf .va_tt a.vsb_tr_t{padding:0
0;font:var(--bing-smtc-text-global-body-2-alt-strong)}.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_meta,.vsacf .va_tt .vsb_tr_chd .mc_vtvc
.mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font-size:14px;line-height:20px;display:unset}#serpvidans.vsacf .va_tt .b_sldrp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{white-space:normal;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#se
rpvidans.vsacf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion{background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px}#serpvidans.vsacf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
```

Protection measures for electric shock from photovoltaic panels

```
ound-ctrl-neutral-primary-alt-rest)}#serpvidans.vsaf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{display:flex;margin:0;height:auto}#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{fill:var(--bing-smtc-foreground-ctrl-neutral-primary-alt-rest)}#serpvidans.vsaf
.b_module_expansion_control
.b_btnContainer::after{content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{box-shadow:none;padding:12px 20px 0}#b_results .b_ans.b_vidAns
.vasac{padding:unset;margin:0}#b_results .b_ans.b_vidAns .vsa .b_attribution{padding-bottom:0}#b_results
.b_ans.b_vidAns .cardless .salink{margin:0}#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{margin-top:10px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{color:#111}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{color:#666}#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{background-color:unset}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_
bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc
.mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px;
line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area {
height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock
{ height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; }
.mc_vtvc{background-color:#fff;box-shadow:0 0 1px
rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshado
w{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{colo
r:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus::after{outline:2px solid
#00a89d;width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{ba
ckground-color:#d5d5d5;position:relative}.mc_vtvc_th
.cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_
ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:
hidden;color:#111;height:54px;line-height:18px}.mc_vtvc_title
a{display:inline-block;color:#111}.mc_vtvc_title
a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;m
argin-top:-40px;padding:12px
8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_v
tvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh
.mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans
.b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left
:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:
0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0
```

Protection measures for electric shock from photovoltaic panels

```
16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-block;padding:2px 8px;font:11px/14px Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110px}.isvctrl.isv.mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_lRight.b_lLeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px 8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;padding:0 16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center;display:table-cell}.vt_text.b_lRight.b_lLeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px 8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:cover;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:none}.vt_onhv.mc_vtvc_ht{display:table}.mc_vtvc_htb{display:table}.vt_onhv.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhv.mc_vtvc_center_play{display:none}.mc_vtvc.vtmu,.mc_vtvc.vtpl{bottom:163px}.vsarf.mc_vtvc.vtmu,.vsarf.mc_vtvc.vtpl{bottom:122px}.svarh #mmcar.mc_vtvc.vtmu,.svarh #mmcar.mc_vtvc.vtpl{bottom:137px}.svarht #mmcar.mc_vtvc.vtmu,.svarht #mmcar.mc_vtvc.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Crect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%2010.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%2022.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist.mc_vtvc{margin:10px 1px 0}.mmlist.mc_vtvc_con_rc{display:flex}.cardless.mmlist.mc_vtvc_con_rc{height:112px}.mmlist.mc_vtvc.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px 12px;padding:0}.mmlist.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;color:unset}.mmlist.mc_vtvc_meta_row{font-size:13px}.mmlist.mc_vtvc.mc_vtvc_meta_block_area{height:unset}.mmlist.mc_vtvc.vtmu,.mmlist.mc_vtvc.vtpl{bottom:8px}.cardless.mmlist.mc_vtvc{box-shadow:none}.cardless.mmlist.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
```

Protection measures for electric shock from photovoltaic panels

```
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist .mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th .cico,.cardless.mmlist .mc_vtvc_th div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist .mc_bc{padding:2px 8px;line-height:14px;border-radius:2px;font-weight:normal}.mmlist
.mc_vtvc:hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row a{display:inline-block}.mc_vtvc_meta_row
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_v
tvc_meta_block a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before{content:"
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov .wkmt .tbc_tt{display:none}.mc_vtvc_con_rc.onhov .wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0 16px 0 0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w .cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u .mm_vidch_th_c{overflow:visible}.dg_u .mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf .mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf .mc_vtvc .mc_vtvc_meta_w
.mc_vtvc_title,.vsarf .mc_vtvc .mc_vtvc_meta_w .mc_vtvc_title strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w .mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png) -172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
```

Protection measures for electric shock from photovoltaic panels

```
.pivot{height:20px;width:8px;min-width:8px}.vtbc
.mv_vtvc_play{background:url(
MAAADHKvg1AAAAIVBMVEX////////////////////9/gMdvAAAACnRSTIMAETNEVWAlmbv
uo4D1oAAAAB9JREFUCB1jmMoABKuaQcSqQhCxKgFGgLhNQIkpQAwA8zkLyQA16F0AAAAASUVO
RK5CYII=)}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{background-color:rgba(0,0,0,.75);p
adding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0} @media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
```

Protection measures for electric shock from photovoltaic panels

```
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ecec; margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:"Arial",Helvetica,Sans-Seri
f;font-style:normal;display:block}#serpvidansrr vsarr1stbig #vidans2 .b_videocard .video_metadata
.actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard .video_summary,#serpvidansrr #vidans2
.b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2 .b_videocard .videoPlayer
.vtbc{right:0}.vrhc line.nhvpv .pffvi,.vrhc line.nhvpv[data-tps="S"] .pffvt,.vrhc line.nhvpv[data-tps="M"]
.pffvt,.vrhc line.nhvpv[data-tps="L"] .pffvt{display:inline-flex}.vrhc line.nhvpv .vrhvc.pffv
.vrhc{display:none}.vrhc line.nhvpv .vrhvc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all .3s
ease-out}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhvc.pffv .vrhc{display:none}.hvpv.h5s .vrhvc.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhc
.vrhc{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhc .vrhc.hide,.vrhc .vrhc
.hide{display:none}.vrhc{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
```

Protection measures for electric shock from photovoltaic panels

```
radius:2px;padding-right:8px}.vrhot div{display:inline-block}.vrhot
nt{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.75);padding:2px
8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol .vrhot nt,.vsb_tr_chd .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb nt{width:0;background:#fff}.vpb
nt.test{display:none}.vpb.back{background-color:#999}.vrhcp
.vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol nt{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol nt
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol nt .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px 7px 9px 7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle .vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/fFZxBXEIP9WYOO0jhTaEl
yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NoslR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}.vrhc line .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhtc
.hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhtc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhtc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhtc,.vrhc.popout
.vrhtc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPjL-ofEuxJ4.gif) center center no-repeat}.vrhc line .vrhtc
.vrhi,.vrhc.popout .vrhtc .vrhi,.vrhc.mousefollow .vrhtc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc
line,.vrhc.mousefollow{border-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.p
opout,.vrhc.mousefollow{z-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px rgba(0,0,0,.2)}.vrhc
```

Protection measures for electric shock from photovoltaic panels

line{z-index:1;margin:0}.vrhc.popout,.vrhc line{position:absolute;top:0}.vrhc.popout{border:1px solid #fff}.vrhc.mousefollow{position:fixed}.vrhc{position:relative;top:0;left:0;display:table-row}.vrhc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes vh_fadein{from{opacity:0}to{opacity:1}}.vrhc:not(.hide){animation:vh_fadein 250ms}.vrhc line img{color:transparent}.vrhc line.fullsize{height:100%}.vrhc,.vrhc.hover,.vrhc.link,.vrhc.active,.vrhc.visited{color:#000;text-decoration:none}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;width:100%;text-decoration:none}.vrhstat{height:0;overflow:hidden}Videos of Protection Measures For Electric Shock From Photovoltaic P...Watch video4:23Electric Shock from Solar Panels During Washing | Safety Tips & Risk Prevention TK Techo70.4K views6 months agoWatch video8:42Avoid Electrocutation: Solar System Safety Guide Vanindan Academy1.5K viewsDec 9, 2024Watch video5:41Solar Safety - How to manage electrical risks SafeWork NSW22.8K viewsFeb 4, 2020Watch full videomidwestturboconnection How to prevent electric shock from PV modules - no3Let's dive into actionable steps professionals use to minimize shock hazards, whether you're installing new panels, maintaining existing systems, or troubleshooting issues.

IEC 60364-7-712 stipulates that PV systems whose maximum U OC MAX (U OC = Open Circuit Voltage) is higher than 120V DC should use 171 ; double or reinforced insulation 187 ; as a protection ...

The only reliable way to prevent this damage is a professionally planned and expertly coordinated lightning and surge protection concept.

Web: <https://fastmovesecurity.co.za>

